

◎ 订货举例


系列代码	插管外径	—	螺纹大小	接头材质	牙型代码
SPU	04: 4mm		01: 1/8"	S1: SS316	P: PT
SPE	06: 6mm		02: 1/4"	S2: SS304	G: G
SPV	08: 8mm		03: 3/8"		
...	10: 10mm		04: 1/2"		
	12: 12mm				

订货举例: SPC系列不锈钢接头, 配4mm插管外径, 接管口径为PT1/8", 接头材质SS316, 其ERP编码为: SPC4-01S1


备注: 如果两端皆为插管, 则管子外径尺寸并列显示, 如尺寸相同只显示一个; 如SPU不锈钢接头, 均配6mm外径的管子, 接头材质SS316, 其ERP编码为: SPU06S1

◎ 外形尺寸图


SPC	型号	B	∅C	∅D	E	F	R, N	L	g	外形尺寸图
	SPC04-01	8	09	04	14.7	S10	1/8	21.4	90.5	
	SPC04-02	11	09	04	14.7	S14	1/4	23	20.0	
	SPC06-01	8	11	06	16.4	S12	1/8	21.7	8.5	
	SPC06-02	11	11	06	16.4	S14	1/4	23.2	17.5	
	SPC06-03	11	11	06	16.4	S17	3/8	23.2	26.5	
	SPC06-04	14.5	11	06	16.4	S22	1/2	28.5	57	
	SPC08-01	8	13.7	08	16.8	S14	1/8	26.7	13.5	
	SPC08-02	11	13.7	08	16.8	S14	1/4	24.7	15.5	
	SPC08-03	11	13.7	08	16.8	S17	3/8	24.7	22.5	
	SPC08-04	14.5	13.7	08	16.8	S22	1/2	28.6	55.5	
	SPC10-01	8	15.5	10	18.4	S17	1/8	28.5	25	
	SPC10-02	11	15.5	10	18.4	S17	1/4	29.5	26	
	SPC10-03	11	15.5	10	18.4	S17	3/8	26.1	23	
	SPC10-04	14.5	15.5	10	18.4	S22	1/2	28.5	48.5	
	SPC12-02	11	18.7	12	19.2	S19	1/4	31.5	32	
	SPC12-03	11	18.7	12	19.2	S19	3/8	28	28	
	SPC12-04	14.5	18.7	12	19.2	S22	1/2	28.5	44	
	SPC12-06	14.5	18.7	12	19.2	S27	3/4	29.5	79.5	
	SPC14-02	11	20.6	14	20	S19	1/4	31	37	
	SPC14-03	11	20.6	14	20	S19	3/8	31	40.5	
	SPC14-04	14.5	20.6	14	20	S22	1/2	30.5	43.5	
	SPC14-06	14.5	20.6	14	20	S27	3/4	29.5	6.9	
	SPC14-1"	16	20.6	14	20	S34	1"	31.5	123	
	SPC16-03	11	22.6	16	19.7	S22	3/8	31.9	51	
	SPC16-04	14.5	22.6	16	19.7	S22	1/2	32.4	-	
	SPC16-06	14.5	22.6	16	19.7	S27	3/4	29.5	65	
	SPC16-1"	16	22.6	16	19.7	S34	1"	29.4	12.9	



SPU	型号	∅C	∅D	E	L	g	外形尺寸图
	SPU04	9	04	14.7	33	13	
	SPU06	11	06	16.4	36	11.5	
	SPU08	13.7	08	16.8	36	20	
	SPU10	15.5	10	18.4	39	27.5	
	SPU12	18.7	12	19.2	40	38.5	
	SPU14	20.6	14	20	40	51	
	SPU16	22.6	16	19.7	41	52.5	



SPV	型号	∅C	∅D	E	L	g	外形尺寸图
	SPV-04	9	04	14.7	17.5	11	
	SPV-06	11	06	16.4	21.1	16	
	SPV-08	13.7	08	16.8	22	24	
	SPV-10	15.5	10	18.4	24.6	34	
	SPV-12	18.7	12	19.2	28.8	53.5	
	SPV-14	20.6	14	20	27.8	-	
	SPV-16	22.6	16	19.7	34.7	-	



SPCF	型号	B	∅C	∅D	E	F	R、N	L	g	外形尺寸图
	SPCF04-01	9	9	04	14.7	S12	1/8	26	17	
	SPCF04-02	12	9	04	14.7	S17	1/4	29	23	
	SPCF06-01	9	11	06	16.4	S12	1/8	27.5	19	
	SPCF06-02	12	11	06	16.4	S17	1/4	30.5	23.5	
	SPCF06-03	12	11	06	16.4	S19	3/8	30.5	28	
	SPCF06-04	15.5	11	06	16.4	S24	1/2	34.5	33	
	SPCF08-01	9	13.7	08	16.8	S14	1/8	27.8	23	
	SPCF08-02	12	13.7	08	16.8	S17	1/4	30.5	25	
	SPCF08-03	12	13.7	08	16.8	S19	3/8	30.5	28	
	SPCF08-04	15.5	13.7	08	16.8	S24	1/2	34.5	35	
	SPCF10-01	9	15.5	10	18.4	S17	1/8	29.2	38	
	SPCF10-02	12	15.5	10	18.4	S17	1/4	32	26	
	SPCF10-03	12	15.5	10	18.4	S19	3/8	32	28	
	SPCF10-04	15.5	15.5	10	18.4	S24	1/2	36	39.5	
	SPCF12-02	12	18.7	12	19.2	S19	1/8	32.5	35	
	SPCF12-03	12	18.7	12	19.2	S19	1/4	32.5	31	
	SPCF12-04	15.5	18.7	12	19.2	S24	3/8	36.4	42	
	SPCF14-02	12	20.6	14	20	S22	1/2	32	64	
	SPCF14-03	12	20.6	14	20	S22	1/4	32	60	
	SPCF14-04	15.5	20.6	14	20	S24	1/2	36	47	
	SPCF16-03	12	22.6	16	19.7	S22	3/8	33	65	
	SPCF16-04	15.5	22.6	16	19.7	S22	1/2	37	60	

SPEW	型号	∅C	∅C1	∅D1	∅D	E1	E	H	L1	L	g	外形尺寸图
	SPEW06-04	09	11	06	04	16.4	14.7	20.9	17.5	34.8	23	
	SPEW08-06	11	13.7	08	06	16.8	16.4	22.1	20.9	41.8	40	
	SPEW10-08	13.7	15.5	10	08	18.4	16.8	24.7	22.1	44.2	48.5	
	SPEW12-10	15.5	18.7	12	10	19.2	18.4	27.4	24.7	49.4	80	
	SPEW14-12	18.7	20.6	14	12	20	19.2	27.5	27.4	54.8	85	
	SPEW16-14	20.6	22.6	16	14	19.7	20	35	27.5	55	132	

SPB	型号	B	∅C	∅D	E	F	R、N	H	L1	L2	g	外形尺寸图
	SPB 04-01	8	9	04	14.7	S12	1/8	20.5	17.4	34.8	19.5	
	SPB 04-02	11	9	04	14.7	S14	1/4	24	17.4	34.8	23	
	SPB 06-01	8	11	06	16.4	S12	1/8	21	21.1	42.2	25.5	
	SPB 06-02	11	11	06	16.4	S14	1/4	25	21.1	42.2	30	
	SPB 06-03	11	11	06	16.4	S17	3/8	25	21.1	42.2	34	
	SPB 06-04	14.5	11	06	16.4	S22	1/2	28.5	21.1	42.2	-	
	SPB 08-01	8	13.7	08	16.8	S12	1/8	23.9	22	44	33	
	SPB 08-02	11	13.7	08	16.8	S14	1/4	27.4	22	44	36	
	SPB 08-03	11	13.7	08	16.8	S17	3/8	27.9	22	44	-	
	SPB 08-04	14.5	13.7	08	16.8	S22	1/2	31.4	22	44	-	
	SPB 10-02	11	15.5	10	18.4	S17	1/4	28.5	24.6	49.2	54	
	SPB 10-03	11	15.5	10	18.4	S17	3/8	29	24.6	49.2	-	
	SPB 10-04	14.5	15.5	10	18.4	S22	1/2	32.5	24.6	49.2	78.5	
	SPB 12-02	11	18.7	12	19.2	S19	1/4	30.5	28.8	57.5	-	
	SPB 12-03	11	18.7	12	19.2	S19	3/8	31	28.8	57.6	-	
	SPB 12-04	14.5	18.7	12	19.2	S22	1/2	34.5	28.8	57.6	-	
	SPB 12-06	14.5	18.7	12	19.2	S27	3/4	36	28.8	57.6	-	
	SPB 12-1"	16	18.7	12	19.2	S27	1"	37	28.8	57.6	-	
	SPB 14-02	11	20.6	14	20	S19	1/4	30.5	27.8	55.6	-	
	SPB 14-03	11	20.6	14	20	S19	3/8	31	27.8	55.6	-	
	SPB 14-04	14.5	20.6	14	20	S22	1/2	34.7	27.8	55.6	-	
	SPB 14-06	14.5	20.6	14	20	S27	3/4	36	27.8	55.6	-	
	SPB 14-1"	16	20.6	14	20	S34	1"	37	27.8	55.6	-	
	SPB 16-03	11	22.6	16	19.7	S22	3/8	31.5	34.7	69.4	134	
	SPB 16-04	14.5	22.6	16	19.7	S22	1/2	35	34.7	69.4	142	
	SPB 16-06	14.5	22.6	16	19.7	S27	3/4	36.5	34.7	69.4	173	
	SPB 16-1"	16	22.6	16	19.7	S34	1"	37.5	34.7	69.4	-	

- 1 气动控制元件
- 2 流体控制元件
- 3 电气控制元件
- 4 气动执行元件
- 5 气源处理元件
- 6 真空元件
- 7 洁净元件
- 8 高真空元件
- 9 气动辅助元件

◎ 外形尺寸图

1	气动控制元件
2	流体控制元件
3	电气控制元件
4	气动执行元件
5	气源处理元件
6	真空元件
7	洁净元件
8	高真空元件
9	气动辅助元件

SPE		型号	∅C	∅D	E	L2	L1	L1	g	外形尺寸图
	SPE-04	9	04	14.7	17.6	17.6	35.2	16.5		
	SPE-06	11	06	16.4	20.9	20.9	41.8	23.5		
	SPE-08	13.7	08	16.8	22.1	22.1	44.2	28.5		
	SPE-10	15.5	10	18.4	24.7	24.7	49.4	48.5		
	SPE-12	18.7	12	19.2	27.4	27.4	54.8	72.5		
	SPE-14	20.6	14	20	27.5	27.5	55	76.5		
	SPE-16	22.6	16	19.7	35	35	70	142.5		

SPD		型号	B	∅C	∅D	E	F	R, N	H	L1	L2	g	外形尺寸图
	SPD 04-01	8	9	04	14.7	S12	1/8	20.5	16.9	37.9	19.5		
	SPD 04-02	11	9	04	14.7	S14	1/4	24	16.9	41.4	23		
	SPD 06-01	8	11	06	16.4	S12	1/8	21	21.1	42.1	25.5		
	SPD 06-02	11	11	06	16.4	S14	1/4	24.5	21.1	46.1	30		
	SPD 06-03	11	11	06	16.4	S17	3/8	25	21.1	46.1	34		
	SPD 06-04	14.5	11	06	16.4	S22	1/2	28.5	21.1	49.6	-		
	SPD 08-01	8	13.7	08	16.8	S12	1/8	23.9	22	55.9	33		
	SPD 08-02	11	13.7	08	16.8	S14	1/4	27.4	22	49.4	36		
	SPD 08-03	11	13.7	08	16.8	S17	3/8	27.9	22	49.9	-		
	SPD 08-04	14.5	13.7	08	16.8	S22	1/2	31.4	22	53.4	-		
	SPD 10-02	11	15.5	10	18.4	S17	1/4	28.5	24.6	53.1	54		
	SPD 10-03	11	15.5	10	18.4	S17	3/8	29	24.6	53.6	-		
	SPD 10-04	14.5	15.5	10	18.4	S22	1/2	32.5	24.6	37.1	78.5		
	SPD 12-02	11	18.7	12	19.2	S19	1/4	30.5	28.8	59.3	-		
	SPD 12-03	11	18.7	12	19.2	S19	3/8	31	28.8	59.8	-		
	SPD 12-04	14.5	18.7	12	19.2	S22	1/2	34.5	28.8	63.3	-		
	SPD 12-06	14.5	18.7	12	19.2	S27	3/4	34.5	28.8	64.8	-		
	SPD 12-1"	16	18.7	12	19.2	S27	1"	37	28.8	65.8	-		
	SPD 14-02	11	20.6	14	20	S19	1/4	30.5	27.8	58.3	-		
	SPD 14-03	11	20.6	14	20	S19	3/8	31	27.8	58.8	-		
	SPD 14-04	14.5	20.6	14	20	S22	1/2	34.5	27.8	62.5	-		
	SPD 14-06	14.5	20.6	14	20	S27	3/4	34.5	27.8	63.8	-		
	SPD 14-1"	16	20.6	14	20	S34	1"	37	27.8	64.8	-		
	SPD 16-03	11	22.6	16	19.7	S22	3/8	31.5	34.7	66.2	134		
SPD 16-04	14.5	22.6	16	19.7	S22	1/2	35	34.7	69.7	142			
SPD 16-06	14.5	22.6	16	19.7	S27	3/4	35	34.7	71.2	173			
SPD 16-1"	16	22.6	16	19.7	S34	1"	37.5	34.7	72.2	-			



SPL		型号	B	∅C	∅D	E	F	R, N	L1	L2	g	外形尺寸图
	SPL 04-01	8	9	04	14.7	S12	1/8	17.4	20.5	15.5		
	SPL 04-02	11	9	04	14.7	S14	1/4	17.4	24	20		
	SPL 06-01	8	11	06	16.4	S12	1/8	21.1	21	18.5		
	SPL 06-02	11	11	06	16.4	S14	1/4	21.1	24.5	24		
	SPL 06-03	11	11	06	16.4	S17	3/8	21.1	25	36.5		
	SPL 06-04	14.5	11	06	16.4	S22	1/2	21.1	28.5	50		
	SPL 08-01	8	13.7	08	16.8	S14	1/8	22	23.9	25		
	SPL 08-02	11	13.7	08	16.8	S14	1/4	22	27.4	27.5		
	SPL 08-03	11	13.7	08	16.8	S17	3/8	22	27.9	34		
	SPL 08-04	14.5	13.7	08	16.8	S22	1/2	22	31.4	51		
	SPL 10-01	8	15.5	10	18.4	S17	1/8	24.6	25.5	37.5		
	SPL 10-02	11	15.5	10	18.4	S17	1/4	24.6	28.5	40.5		
	SPL 10-03	11	15.5	10	18.4	S17	3/8	24.6	29	43.5		
	SPL 10-04	14.5	15.5	10	18.4	S22	1/2	24.6	32.5	61.5		
	SPL 12-02	11	18.7	12	19.2	S19	1/4	28.8	30.5	57		
	SPL 12-03	11	18.7	12	19.2	S19	3/8	28.8	31	61		
	SPL 12-04	14.5	18.7	12	19.2	S22	1/2	28.8	34.5	-		
	SPL 12-06	14.5	18.7	12	19.2	S27	3/4	28.8	34.5	-		
	SPL 14-02	11	20.6	14	20	S19	1/4	27.8	30.5	-		
	SPL 14-03	11	20.6	14	20	S19	3/8	27.8	31	-		
	SPL 14-04	14.5	20.6	14	20	S22	1/2	27.8	34.5	-		
	SPL 14-06	14.5	20.6	14	20	S27	3/4	27.8	34.5	-		
	SPL 14-1"	16	20.6	14	20	S34	1"	27.8	37	-		
	SPL 16-03	11	22.6	16	19.7	S22	3/8	34.7	31.5	-		
SPL 16-04	14.5	22.6	16	19.7	S22	1/2	34.7	35	90.5			
SPL 16-06	14.5	22.6	16	19.7	S27	3/4	34.7	35	101			
SPL 16-1"	16	22.6	16	19.7	S34	1"	34.7	37.5	-			



不锈钢快速接头







气动辅件

9.24

SPGJ	型号	L	E1	E2	∅C1	∅C2	D1	D2	g	外形尺寸图
	SPGJ 06-04	34	16.4	14.7	11	9	06	04	16	
	SPGJ 08-06	35	16.8	16.4	13.7	11	08	06	21	
	SPGJ 10-08	36.5	18.4	16.8	15.5	13.7	10	08	26.5	
	SPGJ 12-08	37.5	19.2	16.8	18.7	13.7	12	08	37	
	SPGJ 12-10	39	19.2	18.4	18.7	15.5	12	10	37.5	
	SPGJ 14-10	38.5	20	18.4	20.6	15.5	14	10	40	
	SPGJ 14-12	39	20	19.2	20.6	18.7	14	12	42	
	SPGJ 16-10	40	19.7	18.4	22.6	15.5	16	10	44.5	
	SPGJ 16-12	40	19.7	19.2	22.6	18.7	16	12	-	
	SPGJ 16-14	40	19.7	20	22.6	20.6	16	14	54	

SM	型号	B	∅D	F1	F2	R、N	L	外形尺寸图
	SM 04-01	8	04	S12	S12	1/8	29.1	
	SM 04-02	11	04	S12	S14	1/4	32.1	
	SM 04-03	11	04	S12	S17	1/8	32.6	
	SM 06-04	14.5	06	S14	S22	1/2	38	
	SM 06-03	11	06	S14	S17	3/8	34	
	SM 06-02	11	06	S14	S14	1/4	33.6	
	SM 06-01	8	06	S14	S12	1/8	30.6	
	SM 08-04	14.5	08	S17	S22	1/2	39	
	SM 08-03	11	08	S17	S17	3/8	35	
	SM 08-02	11	08	S17	S14	1/4	34.5	
	SM 08-01	8	08	S17	S14	1/8	31.5	
	SM 10-04	14.5	10	S19	S22	1/2	40.2	
	SM 10-03	11	10	S19	S19	3/8	36.2	
	SM 10-02	11	10	S19	S19	1/4	36.2	
	SM 12-04	14.5	12	S19	S22	1/2	41.9	
	SM 12-03	11	12	S22	S19	3/8	38.4	
SM 12-02	11	12	S22	S19	1/4	38.4		

SMC	型号	B	∅D	F1	F2	R、N	L	外形尺寸图
	SMC 04-01	8	04	S10	S12	1/8	22.5	
	SMC 04-02	11	04	S10	S14	1/4	25.5	
	SMC 06-01	8	06	S12	S12	1/8	26.5	
	SMC 06-02	11	06	S12	S14	1/4	26.5	
	SMC 06-03	11	06	S12	S17	3/8	30	
	SMC 08-01	8	08	S14	S14	1/8	27.9	
	SMC 08-02	11	08	S14	S14	1/4	30.9	
	SMC 08-03	11	08	S14	S17	3/8	31.4	
	SMC 08-04	14.5	08	S14	S22	1/2	35.5	
	SMC 10-01	8	10	S17	S17	1/8	28.6	
	SMC 10-02	11	10	S17	S17	1/4	31.6	
	SMC 10-03	11	10	S17	S17	3/8	31.6	
	SMC 10-04	14.5	10	S17	S22	1/2	35.6	
	SMC 12-02	11	12	S19	S19	1/4	35	
	SMC 12-03	11	12	S19	S19	3/8	35	
	SMC 12-04	14.5	12	S19	S22	1/2	40	
	SMC 12-06	14.5	12	S19	S27	3/4	40	
	SMC 14-02	11	14	S22	S22	1/4	36.5	
	SMC 14-03	11	14	S22	S22	3/8	36.5	
	SMC 14-04	14.5	14	S22	S22	1/2	40	
SMC 14-06	14.5	14	S22	S27	3/4	40		
SMC 16-03	11	16	S22	S22	3/8	33.5		
SMC 16-04	14.5	16	S22	S22	1/2	37		
SMC 16-06	14.5	16	S22	S27	3/4	37		

SPW	型号	A	F	C	L	E	2- A12-	F1	C1	G	B	O	N	外形尺寸图
	SPW06-04-A	∅6	∅11.8	16.5	41	29.3	∅4	∅8.8	14	15.5	14.9	∅5.5	∅3.2	
	SPW08-06-A	∅8	∅13.8	17	40.5	29.3	∅6	∅11.8	16.5	15.7	14.9	∅5.5	∅3.2	
	SPW10-08-A	∅10	∅16.5	19	48.6	41.1	∅8	∅13.8	17	18.6	21	∅7	∅4.2	
	SPW12-10-A	∅12	∅18.7	20	48.6	41.1	∅10	∅16.5	19	18.6	21	∅7	∅4.2	
	SPW16-12-A	∅16	∅23.8	22.5	57	51	∅12	∅18.7	20	20	26	∅8	∅4.2	

- 1 气动控制元件
- 2 流体控制元件
- 3 电气控制元件
- 4 气动执行元件
- 5 气源处理元件
- 6 真空元件
- 7 洁净元件
- 8 高真空元件
- 9 气动辅助元件

◎ 外形尺寸图

1	气动控制元件
2	流体控制元件
3	电气控制元件
4	气动执行元件
5	气源处理元件
6	真空元件
7	洁净元件
8	高真空元件
9	气动辅助元件

SSC	型号	C	L1	L2	L3	D	CH	g	外形尺寸图
	SSC-04-01	04	39	28	7.5	10.5	12	31.5	
	SSC-04-02	04	45	30	9.5	10.5	14	46.5	
	SSC-06-01	06	39	28	7.5	12.5	12	29.5	
	SSC-06-02	06	45	30	9.5	12.5	14	51	
	SSC-08-01	08	36	30	7.5	14.5	12	35	
	SSC-08-02	08	45	32	9.5	14.5	14	51	
	SSC-08-03	08	56	33	10.5	14.5	19	100	
	SSC-08-04	08	56	35	12.5	14.5	22	152	
	SSC-10-02	10	45	34	9.5	17.5	14	68	
	SSC-10-03	10	56	35	10.5	17.5	19	118	
	SSC-10-04	10	56	37	12.5	17.5	22	160	
	SSC-12-02	12	45	36	9.5	20.5	14	65	
	SSC-12-03	12	56	38	10.5	20.5	19	108	
	SSC-12-04	12	56	40	12.5	20.5	22	165	

SPGR	型号	ΦC	D1	D2	E	L	H	H1	g	外形尺寸图
	SPGR04-06	9	04	06	14.7	32.8	18	7	9	
	SPGR06-04	11	06	04	16.4	35.7	17.5	5.5	-	
	SPGR06-08	13.7	06	08	16.4	39.2	21	7	-	
	SPGR08-06	13.7	08	06	16.8	37.2	18	7	-	
	SPGR08-10	13.7	08	10	16.8	40.2	21	7	-	
	SPGR10-08	15.5	10	08	18.4	41.6	21	7	-	
	SPGR10-12	15.5	10	10	18.4	41.6	21	7	-	
	SPGR12-10	18.7	12	10	19.2	42	21	7	-	
	SPGR12-14	18.7	12	14	19.2	42	21	7	-	
	SPGR14-10	20.6	14	10	20	42.5	21	7	-	
	SPGR14-12	20.6	14	12	20	42.5	21	7	-	
	SPGR14-16	20.6	14	16	20	42.5	21	7	-	
	SPGR16-12	22.6	16	12	19.7	42.6	21	7	-	
	SPGR16-14	22.6	16	14	19.7	42.6	21	7	-	

SPLC	型号	B	D	F1	F	R、N	L1	L2	g	外形尺寸图
	SPLC 04-01	8	04	S10	S12	1/8	20.7	23.3	-	
	SPLC 04-02	11	04	S10	S14	1/4	20.7	26.8	-	
	SPLC 06-01	8	06	S12	S12	1/8	26	23.2	-	
	SPLC 06-02	11	06	S12	S14	1/4	26	26.7	-	
	SPLC 06-03	11	06	S12	S17	3/8	26	27.2	-	
	SPLC 08-01	8	08	S14	S12	1/8	27.5	23.2	-	
	SPLC 08-02	11	08	S14	S14	1/4	27.5	26.7	-	
	SPLC 08-03	11	08	S14	S17	3/8	27.5	27.2	-	
	SPLC 08-04	14.5	08	S14	S22	1/2	27.5	30.7	-	
	SPLC 10-01	8	10	S17	S17	1/8	27.8	24.8	-	
	SPLC 10-02	11	10	S17	S17	1/4	27.8	28.8	-	
	SPLC 10-03	11	10	S17	S17	3/8	27.8	28.8	-	
	SPLC 10-04	14.5	10	S17	S22	1/2	27.8	32.3	-	
	SPLC 12-02	11	12	S19	S17	1/4	30.9	30.8	-	
	SPLC 12-03	11	12	S19	S17	3/8	30.9	30.8	-	
	SPLC 12-04	14.5	12	S19	S22	1/2	30.9	34.2	-	
	SPLC 12-06	14.5	12	S19	S27	3/4	30.9	35.7	-	
	SPLC 14-02	11	14	S22	S19	1/4	32.3	32.1	-	
	SPLC 14-03	11	14	S22	S19	3/8	32.3	32.6	-	
	SPLC 14-04	14.5	14	S22	S22	1/2	32.3	36.1	-	
	SPLC 14-06	14.5	14	S22	S27	3/4	32.3	37.6	-	
	SPLC 16-03	11	16	S22	S19	3/8	32.1	32.6	-	
	SPLC 16-04	14.5	16	S22	S22	1/2	32.1	36.1	-	
	SPLC 16-06	14.5	16	S22	S27	3/4	32.1	37.6	-	

SPM	型号	M	C	D	E	F	H	L	g	外形尺寸图
	SPM 04	M11×1	06	04	14.7	S14	8	33	18	
	SPM 06	M13×1	11	06	16.4	S17	11	36	25.5	
	SPM 08	M15×1	13.7	08	16.8	S17	13	36	32.5	
	SPM 10	M17×1	15.5	10	18.4	S19	16	39	37	
	SPM 12	M20×1	18.7	12	19.2	S22	17	40	53.5	
	SPM 14	M22×1	20.6	14	20	S24	17	40	54.8	
	SPM 16	M24×1	22.6	16	19.7	S27	17	41	55.5	

不锈钢快速接头



气动辅件

9.26

SPOC	型号	B	C1	C2	D	E	R、N	L	g	外形尺寸图
	SPOC04-01	8	09	10.5	04	14.7	1/8	21.4	9	
	SPOC04-02	11	09	14	04	14.7	1/4	23	/	
	SPOC06-01	8	11	12	06	16.4	1/8	21.7	9	
	SPOC06-02	11	11	14	06	16.4	1/4	23.2	16	
	SPOC06-03	11	11	17	06	16.4	3/8	23.2	24	
	SPOC06-04	14.5	11	14	06	16.4	1/2	28.5	53	
	SPOC08-01	8	13.7	14	08	16.8	1/8	26.7	11	
	SPOC08-02	11	13.7	14	08	16.8	1/4	24.7	14	
	SPOC08-03	11	13.7	17	08	16.8	3/8	24.7	20	
	SPOC08-04	14.5	13.7	21	08	16.8	1/2	28.6	51	
	SPOC10-01	8	15.5	16	10	18.4	1/8	28.4	22	
	SPOC10-02	11	15.5	16	10	18.4	1/4	29.5	24	
	SPOC10-03	11	15.5	17	10	18.4	3/8	26.1	22	
	SPOC10-04	14.5	15.5	21	10	18.4	1/2	28.5	40	
	SPOC12-02	11	18.7	19.2	12	19.2	1/4	31.5	38	
	SPOC12-03	11	18.7	19.2	12	19.2	3/8	28	25	
	SPOC12-04	14.5	18.7	21	12	19.2	1/2	28.5	40	
	SPOC14-02	11	20.6	21	14	20	1/4	31	34	
	SPOC14-03	11	20.6	21	14	20	3/8	31	39	
	SPOC14-04	14.5	20.6	21	14	20	1/2	30.5	41	
	SPOC14-06	14.5	20.6	27	14	20	3/4	29.5	63	
	SPOC16-03	11	22.6	23	16	19.7	3/8	31.9	-	
	SPOC16-04	14.5	22.6	23	16	19.7	1/2	32.4	-	
	SPOC16-06	14.5	22.6	27	16	19.7	3/4	29.5	60	
	SPOC16-10	16	22.6	34	16	19.7	1"	29.4	121	

SPW	型号	C1	C	D1	D	d	H	E1	E	L	Z	g	外形尺寸图
	SPW06-04	11	09	06	04	4.1	26.6	16.4	14.7	42	12	32.5	
	SPW08-06	13.7	11	08	06	4.1	26.4	16.8	16.4	42.2	14.6	40	
	SPW10-08	15.5	12.7	10	08	4.1	28.4	18.4	16.8	49	16.5	88.5	
	SPW12-10	18.7	15.5	12	10	4.1	29.2	19.2	18.4	54.4	19.7	100	
	SPW14-12	20.6	18.7	14	12	4.1	20	20	19.2	55	23.6	105	
	SPW16-14	22.6	20.6	16	14	4.1	19.7	19.7	20	54.8	23.6	166	

SPPS	型号	D1	D2	H	L	g	外形尺寸图
	SPPS04	04	06	5.5	28	-	
	SPPS06	06	08	7	33	-	
	SPPS08	08	10	7	36	-	
	SPPS10	10	12	7	38	-	
	SPPS12	12	14	7	40	-	
	SPPS14	14	16	7	42	-	
	SPPS16	16	18	7	42	-	

SME	型号	D	F	F1	F2	L	L1	H	g	外形尺寸图
	SME04	04	S10	S10	S10	41.3	20.6	20.6	-	
	SME06	06	S12	S12	S12	52.2	26.1	26.1	-	
	SME08	08	S14	S14	S14	55	27.5	27.5	-	
	SME10	10	S17	S17	S17	55.6	27.8	27.8	-	
	SME12	12	S19	S19	S19	61.8	30.9	30.9	-	
	SME14	14	S22	S22	S22	64.7	32.35	32.35	-	
	SME16	16	S22	S22	S22	64.2	32.1	32.1	-	

SPY	型号	C	D	D1	H	E	L	Z	g	外形尺寸图
	SPY04S1	09	04	2.65	21	14.7	32.5	112	18	
	SPY06S1	11	06	4.3	26.5	17.5	41	13.5	29.4	
	SPY08S1	13.7	08	4.3	27	16.8	43	19	39.8	
	SPY10S1	15.5	10	4.3	32	19.5	49	18.5	56	
	SPY12S1	18.7	12	4.3	34.5	21	51.5	21.2	74.8	

- 1 气动控制元件
- 2 流体控制元件
- 3 电气控制元件
- 4 气动执行元件
- 5 气源处理元件
- 6 真空元件
- 7 洁净元件
- 8 高真空元件
- 9 气动辅助元件